CLAIMS

What is claimed:

5

10

15

- 1. A hydrophilic superabsorbent polymer comprising
- a) from about 55 to about 99.9 wt.% of polymerizable unsaturated acid group containing monomers;
 - b) from about 0.001 to about 5.0 wt.% of internal crosslinking agent;
 - c) from about 0.001 to about 5.0 wt.% of surface crosslinking agent applied to the particle surface; and
 - d) wherein the composition has a degree of neutralization of more than about 20%, and from about 20 mole % to about 75 mole % of the unsaturated acid group containing monomers are neutralized with a first neutralizing agent, and from about 5 mole % to about 40 mole % of the unsaturated acid group containing monomers are neutralized with a second neutralizing agent; at a temperature of about 75°C or less;

wherein the superabsorbent polymer has an absorption time of about 5+10 a² minutes or greater, where a is the mean particle size of the superabsorbent material in millimeters, a liquid capacity of about 15 g/g or greater, a drop penetration value of about 2 seconds or less, and a ½ float saturation of about 50% or less.

20

- 2. The superabsorbent polymer of Claim 1 having a liquid capacity of about 20 g/g or greater.
- 3. The superabsorbent polymer of Claim 1 having a liquid capacity of about 25 g/g or greater.

- 4. The superabsorbent polymer of Claim 1 having an Absorption Time of about 7+10 a² minutes or greater.
- 5. The superabsorbent polymer of Claim 1 having an Absorption Time of about 10+10 a² minutes or greater.
 - 6. The superabsorbent polymer of Claim 1 having a Gel Bed Permeability of about 20×10^{-9} cm² or greater.
- 7. The superabsorbent polymer of Claim 1 having a Gel Bed Permeability of about 50×10^{-9} cm² or greater.
 - 8. The superabsorbent polymer of Claim 1 having a Gel Bed Permeability of about 80×10^{-9} cm² or greater.
 - 9. The superabsorbent polymer of Claim 1 wherein the first neutralizing agent is selected from the group of monovalent hydroxides, carbonate or bicarbonate salts and ammonia or mixtures thereof.
- 10. The superabsorbent of Claim 1 wherein at least 40% of the neutralization is accomplished by the first neutralizing agent.
 - 11. The superabsorbent polymer of Claim 1 wherein the first neutralizing agent comprises a monovalent metal hydroxide.

25

15

- 12. The superabsorbent polymer of Claim 1 wherein the second neutralizing agent comprises a multivalent metal hydroxide.
- 13. A water insoluble, slightly cross-linked, partially neutralized, hydrophilic, superabsorbent polymer wherein the superabsorbent polymer has an absorption time of about 5+10 a² minutes or greater, where a is the mean particle size of the superabsorbent material in millimeters, a liquid capacity of about 15 g/g or greater, a drop penetration value of about 2 seconds or less, and a ½ float saturation of about 50% or less.
- 10 14. The superabsorbent polymer of Claim 13 having a liquid capacity of about 20 g/g or greater.
 - 15. The superabsorbent polymer of Claim 13 having a liquid capacity of about 25 g/g or greater.
 - 16. The superabsorbent polymer of Claim 13 having an Absorption Time of about 7+10 a² minutes or greater.
- 17. The superabsorbent polymer of Claim 13 having an Absorption Time of 20 about 10+10 a² minutes or greater.
 - 18. The superabsorbent polymer of Claim 13 having a Gel Bed Permeability of about 20×10^{-9} cm² or greater.
- 25 The superabsorbent polymer of Claim 13 having a Gel Bed Permeability of about 50 x 10⁻⁹ cm² or greater.

609548

5

- 20. The superabsorbent polymer of Claim 13 having a Gel Bed Permeability of about 80×10^{-9} cm² or greater.
 - 21. A hydrophilic superabsorbent polymer comprising

5

10

15

20

- a) from about 55 to about 99.9 wt.% of polymerizable unsaturated acid group containing monomers;
 - b) from about 0.001 to about 5.0 wt.% of internal crosslinking agent;
 - c) from about 0.001 to about 5.0 wt.% of surface crosslinking agent applied to the particle surface; and
 - d) wherein the composition has a degree of neutralization of more than about 20%, and from about 20 mole % to about 75 mole % of the unsaturated acid group containing monomers are neutralized with a first neutralizing agent, and from about 5 mole % to about 40 mole % of the unsaturated acid group containing monomers are neutralized with a second neutralizing agent; at a temperature of about 75°C or less.
- 22. The superabsorbent polymer of Claim 21 wherein the first neutralizing agent is selected from the group of monovalent hydroxides, carbonate or bicarbonate salts and ammonia or mixtures thereof.
- 23. The superabsorbent of Claim 21 wherein at least 40% of the neutralization is accomplished by the first neutralizing agent.
- 24. The superabsorbent polymer of Claim 21 wherein the first neutralizing agent comprises a monovalent metal hydroxide.

25. The superabsorbent polymer of Claim 21 wherein the second neutralizing agent comprises a multivalent metal hydroxide.

62 (_h ,